



2024  
PREBOOK COMPLETE BIKE





# 2024

We are more than happy to Introducing the Inspyre 2024 complete bike range - the best range of bikes ever created.

The Inspyre 2024 range has been designed and crafted with precision, using the latest technology and materials to ensure the ultimate riding experience. Our team of experts have worked tirelessly to create a range of bikes that not only look great, but also perform at the highest level.

One of the standout features of the Inspyre 2024 EVO range is the Tioga tires. These tires have been specifically selected for their superior grip, durability and overall performance. These tires will provide you with the confidence and stability you need to push your riding to the next level. Powerblock front and rear on the EVO Line and for the EVO-C the best of both world Fastr X in front for low rolling resistance and powerblock on rear for optimal grip.

In addition to the Tioga tires, the Inspyre 2024 range also boasts a range of other impressive features, including lightweight frames and high-quality components like Shimano hydraulic disc brakes, Forward sealed hubs, Forward EB24 Crankset, Pride racing headset. Each bike in the range has been meticulously designed and tested to ensure that it meets the highest standards of performance, reliability and durability.

Now featuring a stunning new Polish blue paint job, with a look that's reminiscent of anodized finishes. The high-end model takes it up a notch with a gorgeous Mystic Honey Gold job, complete with stunning chrome-coated decals. The Inspyre EVO bike range has always been known for its sleek design. With the new Polish blue and Mystic Honey Gold paint jobs, the Inspyre EVO bike range now looks as good as it performs.

The Polish blue paint job adds a touch of elegance to the bike, while the anodized look gives it a sleek and modern appearance. Meanwhile, the honey glitter paint job on the EVO-C is a sight to behold, with sparkling golden accents that catch the light and shimmer as you ride.

Whether you're an experienced rider looking to take your skills to the next level, or a beginner looking for a high-quality bike that will help you get started, the Inspyre 2024 range has something for everyone.

# #INSPYRE FAMILY 2023

SMILES FOR MILES



# ***ROCKET***









## SPECIFICATIONS

<b>FRAME</b>	Inspyre Rocket - Aluminium 6061-T6
<b>FORK</b>	Inspyre Rocket - Hi-Ten - 1" Steerer tube
<b>HEADSET</b>	Externe 1" - EC30   EC30 - Safety angle 130°
<b>BAR</b>	Inspyre Rocket - Hi Ten 1.15" x 18" - BS : 6° / US : 2°
<b>GRIPS</b>	Inspyre 100mm Krayton
<b>STEM</b>	Inspyre - Aluminium Cold Forged - 30mm
<b>FRONT HUB</b>	Aluminium 16H - 10mm - Ball Bearing
<b>REAR HUB</b>	Aluminium 16H - 10mm - Ball Bearing
<b>SPOKES</b>	Steel 14G
<b>NIPPLES</b>	Steel 12MM
<b>FRONT RIM</b>	Inspyre - Aluminium 16H
<b>REAR RIM</b>	Inspyre - Aluminium 16H
<b>FRONT TIRE</b>	Kenda 12"
<b>REAR TIRE</b>	Kenda 12"
<b>SEAT</b>	PC Combo 27.2mm with seat handling
<b>SEAT CLAMP</b>	Aluminium seat clamp 31.8mm



## SPECIFICATIONS

<b>FRAME</b>	Inspyre Rocket - Aluminium 6061-T6
<b>FORK</b>	Inspyre Rocket - Hi-Ten - 1" Steerer tube
<b>HEADSET</b>	Externe 1" - EC30   EC30 - Safety angle 130°
<b>BAR</b>	Inspyre Rocket - Hi Ten 1.15" x 18" - BS : 6° / US : 2°
<b>GRIPS</b>	Inspyre 100mm Krayton
<b>STEM</b>	Inspyre - Aluminium Cold Forged - 30mm
<b>FRONT HUB</b>	Aluminium 16H - 10mm - Ball Bearing
<b>REAR HUB</b>	Aluminium 16H - 10mm - Ball Bearing
<b>SPOKES</b>	Steel 14G
<b>NIPPLES</b>	Steel 12MM
<b>FRONT RIM</b>	Inspyre - Aluminium 16H
<b>REAR RIM</b>	Inspyre - Aluminium 16H
<b>FRONT TIRE</b>	Kenda 12"
<b>REAR TIRE</b>	Kenda 12"
<b>SEAT</b>	PC Combo 27.2mm with seat handling
<b>SEAT CLAMP</b>	Aluminium seat clamp 31.8mm



# NEOLINE



**ENTRY LEVEL LINE  
EMBRACE THE THRILL**





## SPECIFICATIONS

<b>FRAME</b>	Inspyre Neo Micro - 16.5" Alloy 6061-T6 - 3D Forged dropouts
<b>FORK</b>	Inspyre Neo - Chromoly - 1" Steerer Tube -Tapered legs
<b>HEADSET</b>	Integrated - Sealed bearing IS42   IS42
<b>HANDLEBAR</b>	Inspyre Neo - Hi Ten 2.25" x 21.65" - BS : 9° / US : 2°
<b>GRIPS</b>	Inspyre 100mm Krayton
<b>STEM</b>	Inspyre Neo - Top Load - Aluminium Cold Forged - 40mm
<b>BOTTOM BRACKET</b>	Square Taper BB 113.5mm - Sealed Bearing
<b>SPROCKET</b>	Aluminium 5 Bolts 36T - 110mm
<b>CRANKSET</b>	3 pcs alloy arms - 5 Bolts - 127mm
<b>PEDALS</b>	VP Mini PC 9/16
<b>CHAIN</b>	KMC Z-6 - 1/2" x 3/32"
<b>FREEWHEEL</b>	16T CP - 1/2" x 3/32"

<b>FRONT HUB</b>	Aluminium Hub 28H - 10mm - Ball bearing
<b>REAR HUB</b>	Aluminium Hub 28H - 10mm - Ball bearing - Flip/Flop
<b>SPOKES / NIPPLES</b>	Stainless 14G / Brass 14G
<b>FRONT RIM</b>	Inspyre - Aluminium 28H - Double walls
<b>REAR RIM</b>	Inspyre - Aluminium 28H - Double walls with CNC Sidewall
<b>FRONT TIRE</b>	Vee Tire MK3 20 x 1-1/8
<b>REAR TIRE</b>	Vee Tire MK3 20 x 1-1/8
<b>BRAKE LEVER</b>	Forward Mini OEM
<b>BRAKE CALIPER</b>	Tektro RX1
<b>SEAT / POST</b>	PC Combo 22.2mm
<b>SEAT CLAMP</b>	Alloy seatclamp 25.4mm
<b>CHAIN TENSIONERS</b>	Alloy chaintensioners - 2 holes - 10mm



## SPECIFICATIONS

<b>FRAME</b>	Inspyre Neo Mini - 17.25" Alloy 6061-T6 - 3D Forged dropouts	<b>FRONT HUB</b>	Aluminium Hub 28H - 10mm - Ball bearing
<b>FORK</b>	Inspyre Neo - Chromoly - 1" Steerer Tube -Tapered legs	<b>REAR HUB</b>	Aluminium Hub 28H - 10mm - Ball bearing - Flip/Flop
<b>HEADSET</b>	Integrated - Sealed bearing IS42   IS42	<b>SPOKES / NIPPLES</b>	Stainless 14G / Brass 14G
<b>HANDLEBAR</b>	Inspyre Neo - Hi Ten 2.25" x 23" - BS : 9° / US : 2°	<b>FRONT RIM</b>	Inspyre - Aluminium 28H - Double walls
<b>GRIPS</b>	Inspyre 100mm Krayton	<b>REAR RIM</b>	Inspyre - Aluminium 28H - Double walls with CNC Sidewall
<b>STEM</b>	Inspyre Neo - Top Load - Aluminium Cold Forged - 40mm	<b>FRONT TIRE</b>	Vee Tire MK3 20 x 1-1/8
<b>BOTTOM BRACKET</b>	Square Taper BB 113.5mm - Sealed Bearing	<b>REAR TIRE</b>	Vee Tire MK3 20 x 1-1/8
<b>SPROCKET</b>	Aluminium 5 Bolts 36T - 110mm	<b>BRAKE LEVER</b>	Forward Mini OEM
<b>CRANKSET</b>	3 pcs alloy arms - 5 Bolts - 140mm	<b>BRAKE CALIPER</b>	Tektro RX1
<b>PEDALS</b>	VP Mini PC 9/16	<b>SEAT / POST</b>	PC Combo 22.2mm
<b>CHAIN</b>	KMC Z-6 - 1/2" x 3/32"	<b>SEAT CLAMP</b>	Alloy seatclamp 25.4mm
<b>FREEWHEEL</b>	16T CP - 1/2" x 3/32"	<b>CHAIN TENSIONERS</b>	Alloy chaintensioners - 2 holes - 10mm



## SPECIFICATIONS

<b>FRAME</b>	Inspyre Neo Junior - 18.75" Alloy 6061-T6 - 3D Forged dropouts	<b>FRONT HUB</b>	Aluminium Hub 28H - 10mm - Ball bearing
<b>FORK</b>	Inspyre Neo - Chromoly - 1" Steerer Tube -Tapered legs	<b>REAR HUB</b>	Aluminium Hub 28H - 10mm - Ball bearing - Flip/Flop
<b>HEADSET</b>	Integrated - Sealed bearing IS42   IS42	<b>SPOKES / NIPPLES</b>	Stainless 14G / Brass 14G
<b>HANDLEBAR</b>	Inspyre Neo - Hi Ten 4.25" x 24.5" - BS : 9° / US : 2°	<b>FRONT RIM</b>	Inspyre - Aluminium 28H - Double walls
<b>GRIPS</b>	Inspyre 100mm Krayton	<b>REAR RIM</b>	Inspyre - Aluminium 28H - Double walls with CNC Sidewall
<b>STEM</b>	Inspyre Neo - Top Load - Aluminium Cold Forged - 40mm	<b>FRONT TIRE</b>	Vee Tire MK3 20 x 1-3/8
<b>BOTTOM BRACKET</b>	Square Taper BB 113.5mm - Sealed Bearing	<b>REAR TIRE</b>	Vee Tire MK3 20 x 1-1/8
<b>SPROCKET</b>	Aluminium 5 Bolts 38T - 110mm	<b>BRAKE LEVER</b>	Pro Lever Aluminium
<b>CRANKSET</b>	3 pcs alloy arms - 5 Bolts - 150mm	<b>BRAKE CALIPER</b>	Tektro RX1
<b>PEDALS</b>	PRO PC 9/16	<b>SEAT / POST</b>	PC Combo 22.2mm
<b>CHAIN</b>	KMC Z-6 - 1/2" x 3/32"	<b>SEAT CLAMP</b>	Alloy seatclamp 25.4mm
<b>FREEWHEEL</b>	16T CP - 1/2" x 3/32"	<b>CHAIN TENSIONERS</b>	Alloy chaintensioners - 2 holes - 10mm

**SPECIFICATIONS**

<b>FRAME</b>	Inspyre Neo Expert - 19.5" Alloy 6061-T6 - 3D Forged dropouts
<b>FORK</b>	Inspyre Neo - Chromoly - 1-1/8 Steerer Tube -Tapered legs
<b>HEADSET</b>	Integrated - Sealed bearing IS42   IS42
<b>HANDLEBAR</b>	Inspyre Neo - Hi Ten 5.5" x 26" - BS : 9° / US : 2°
<b>GRIPS</b>	Inspyre 100mm Krayton
<b>STEM</b>	Inspyre Neo - Top Load - Aluminium Cold Forged - 40mm
<b>BOTTOM BRACKET</b>	Square Taper BB 113.5mm - Sealed Bearing
<b>SPROCKET</b>	Aluminium 5 Bolts 40T - 110mm
<b>CRANKSET</b>	3 pcs alloy arms - 5 Bolts - 160mm
<b>PEDALS</b>	PRO PC 9/16
<b>CHAIN</b>	KMC Z-6 - 1/2" x 3/32"
<b>FREEWHEEL</b>	16T CP - 1/2" x 3/32"

<b>FRONT HUB</b>	Aluminium Hub 28H - 10mm - Ball bearing
<b>REAR HUB</b>	Aluminium Hub 28H - 10mm - Ball bearing - Flip/Flop
<b>SPOKES / NIPPLES</b>	Stainless 14G / Brass 14G
<b>FRONT RIM</b>	Inspyre - Aluminium 28H - Double walls
<b>REAR RIM</b>	Inspyre - Aluminium 28H - Double walls with CNC Sidewall
<b>FRONT TIRE</b>	Vee Tire MK3 20 x 1-3/8
<b>REAR TIRE</b>	Vee Tire MK3 20 x 1-3/8
<b>BRAKE LEVER</b>	Pro Lever Aluminium
<b>BRAKE CALIPER</b>	Tektro RX1
<b>SEAT / POST</b>	PC Combo 27.2mm
<b>SEAT CLAMP</b>	Alloy seatclamp 31.8mm
<b>CHAIN TENSIONERS</b>	Alloy chaintensioners - 2 holes - 10mm



## SPECIFICATIONS

<b>FRAME</b>	Inspyre Neo Expert XL - 20" Alloy 6061-T6 - 3D Forged dropouts	<b>FRONT HUB</b>	Aluminium Hub 36H - 10mm - Ball bearing
<b>FORK</b>	Inspyre Neo - Chromoly - 1-1/8 Steerer Tube - Tapered legs	<b>REAR HUB</b>	Aluminium Hub 36H - 10mm - Ball bearing - Flip/Flop
<b>HEADSET</b>	Integrated - Sealed bearing IS42   IS42	<b>SPOKES / NIPPLES</b>	Stainless 14G / Brass 14G
<b>HANDLEBAR</b>	Inspyre Neo - Hi Ten 6.5" x 26" - BS : 9° / US : 2°	<b>FRONT RIM</b>	Inspyre - Aluminium 36H - Double walls
<b>GRIPS</b>	Inspyre 130mm Krayton	<b>REAR RIM</b>	Inspyre - Aluminium 36H - Double walls with CNC Sidewall
<b>STEM</b>	Inspyre Neo - Top Load - Aluminium Cold Forged - 50mm	<b>FRONT TIRE</b>	Vee Tire Speedbooster 20 x 1.40
<b>BOTTOM BRACKET</b>	Square Taper BB 113.5mm - Sealed Bearing	<b>REAR TIRE</b>	Vee Tire Speedbooster 20 x 1.40
<b>SPROCKET</b>	Aluminium 4 points 41T - 104 BCD	<b>BRAKE LEVER</b>	Pro Lever Aluminium
<b>CRANKSET</b>	Pédalier 3 pièces alu - 4 points - 170mm	<b>BRAKE CALIPER</b>	Tektro BX310
<b>PEDALS</b>	PRO PC 9/16	<b>SEAT / POST</b>	PC Combo 27.2mm
<b>CHAIN</b>	KMC Z-6 - 1/2" x 3/32"	<b>SEAT CLAMP</b>	Alloy seatclamp 31.8mm
<b>FREEWHEEL</b>	16T CP - 1/2" x 3/32"	<b>CHAIN TENSIONERS</b>	Alloy chaintensioners - 2 holes - 10mm



## SPECIFICATIONS

<b>FRAME</b>	Inspyre Neo Pro - 20.5" Alloy 6061-T6 - 3D Forged dropouts	<b>FRONT HUB</b>	Aluminium Hub 36H - 10mm - Ball bearing
<b>FORK</b>	Inspyre Neo - Chromoly - 1-1/8 Steerer Tube -Tapered legs	<b>REAR HUB</b>	Aluminium Hub 36H - 10mm - Ball bearing - Flip/Flop
<b>HEADSET</b>	Integrated - Sealed bearing IS42   IS42	<b>SPOKES / NIPPLES</b>	Stainless 14G / Brass 14G
<b>HANDLEBAR</b>	Inspyre Neo - Hi Ten 7.5" x 26.8" - BS : 9° / US : 2°	<b>FRONT RIM</b>	Inspyre - Aluminium 36H - Double walls
<b>GRIPS</b>	Inspyre 130mm Krayton	<b>REAR RIM</b>	Inspyre - Aluminium 36H - Double walls with CNC Sidewall
<b>STEM</b>	Inspyre Neo - Top Load - Aluminium Cold Forged - 50mm	<b>FRONT TIRE</b>	Vee Tire MK3 20 x 1.75
<b>BOTTOM BRACKET</b>	Square Taper BB 113.5mm - Sealed Bearing	<b>REAR TIRE</b>	Vee Tire MK3 20 x 1.75
<b>SPROCKET</b>	Aluminium 4 points 42T - 104 BCD	<b>BRAKE LEVER</b>	Pro Lever Aluminium
<b>CRANKSET</b>	Pédalier 3 pièces alu - 4 points - 175mm	<b>BRAKE CALIPER</b>	Tektro BX310AL
<b>PEDALS</b>	PRO PC 9/16	<b>SEAT / POST</b>	PC Combo 27.2mm
<b>CHAIN</b>	KMC Z-6 - 1/2" x 3/32"	<b>SEAT CLAMP</b>	Alloy seatclamp 31.8mm
<b>FREEWHEEL</b>	16T CP - 1/2" x 3/32"	<b>CHAIN TENSIONERS</b>	Alloy chaintensioners - 2 holes - 10mm





## SPECIFICATIONS

<b>FRAME</b>	Inspyre Neo Cruiser - 21.75" Alloy 6061-T6 - 3D Forged dropouts	<b>FRONT HUB</b>	Aluminium Hub 36H - 10mm - Ball bearing
<b>FORK</b>	Inspyre Neo - Chromoly - 1-1/8 Steerer Tube -Tapered legs	<b>REAR HUB</b>	Aluminium Hub 36H - 10mm - Ball bearing - Flip/Flop
<b>HEADSET</b>	Integrated - Sealed bearing IS42   IS42	<b>SPOKES / NIPPLES</b>	Stainless 14G / Brass 14G
<b>HANDLEBAR</b>	Inspyre Neo - Hi Ten 5.5" x 27.5" - BS : 7° / US : 2°	<b>FRONT RIM</b>	Inspyre - Aluminium 36H - Double walls
<b>GRIPS</b>	Inspyre 130mm Krayton	<b>REAR RIM</b>	Inspyre - Aluminium 36H - Double walls with CNC Sidewall
<b>STEM</b>	Inspyre Neo - Top Load - Aluminium Cold Forged - 50mm	<b>FRONT TIRE</b>	Vee Tire MK3 24 x 1.75
<b>BOTTOM BRACKET</b>	Square Taper BB 113.5mm - Sealed Bearing	<b>REAR TIRE</b>	Vee Tire MK3 24 x 1.75
<b>SPROCKET</b>	Aluminium 4 points 41T - 104 BCD	<b>BRAKE LEVER</b>	Pro Lever Aluminium
<b>CRANKSET</b>	Pédalier 3 pièces alu - 4 points - 175mm	<b>BRAKE CALIPER</b>	Tektro BX310AL
<b>PEDALS</b>	PRO PC 9/16	<b>SEAT / POST</b>	PC Combo 27.2mm
<b>CHAIN</b>	KMC Z-6 - 1/2" x 3/32"	<b>SEAT CLAMP</b>	Alloy seatclamp 31.8mm
<b>FREEWHEEL</b>	16T Brown - 1/2" x 3/32"	<b>CHAIN TENSIONERS</b>	Alloy chaintensioners - 2 holes - 10mm

EVO













## SPECIFICATIONS

<b>FRAME</b>	Inspyre Evo Disk Junior - 18.75" Premium Alu 6061-T6 - Hydroformed triple butted tubing - Swell 3D Forged dropouts
<b>FORK</b>	Inspyre Evo - 100% Chromoly - 1-1/8" Steerer tubing - Tapered legs
<b>HEADSET</b>	Semi Integrated - Sealed bearings - ZS44   ZS44 - <b>NEW</b>
<b>HANDLEBAR</b>	Inspyre Evo - Aluminium 4.25" x 22" - BS : 7° / US : 2°
<b>GRIPS</b>	Forward Lock On 95mm - Kraton
<b>STEM</b>	Forward - Top Load - Aluminium 6061-T6 - 40mm
<b>BOTTOM BRACKET</b>	External Bottom Bracket EB24 - Sealed Bearings
<b>SPROCKET</b>	Aluminium 4 Points 38T
<b>CRANKSET</b>	Forward Joyride AM 2 pcs - 4 Points - 150mm
<b>PEDALS</b>	Alu Mini 9/16
<b>CHAIN</b>	KMC Z-1 - 1/2" x 3/32"
<b>CASSETTE</b>	16T Crmo
<b>ROTOR</b>	Forward Joyride AM 140mm

<b>FRONT HUB</b>	Forward Joyride V2 - Aluminium body 28H - 10mm - 100% sealed bearing - Female bolts
<b>REAR HUB</b>	Forward Joyride V2 Disc - Aluminium body 28H - 10mm - 100% sealed bearings - 150 points of engagements 6 pawls system - Female bolts
<b>SPOKES</b>	Stainless 14G
<b>NIPPLES</b>	Brass 14G
<b>FRONT RIM</b>	Forward Joyride - Aluminium 28H - Double walls
<b>REAR RIM</b>	Forward Joyride - Aluminium 28H - Double walls
<b>FRONT TIRE</b>	Tioga Powerblock 20 x 1-1/8 - <b>NEW</b>
<b>REAR TIRE</b>	Tioga Powerblock 20 x 1-1/8 - <b>NEW</b>
<b>BRAKE LEVER</b>	Shimano MT401 Hydraulic
<b>BRAKE CALIPER</b>	Shimano MT410 Hydraulic
<b>SEAT COMBO</b>	Combo Seatpost 22.2mm
<b>SEAT CLAMP</b>	Forward AM 25.4mm
<b>CHAIN TENSIONERS</b>	Swell Integrated

**SPECIFICATIONS**

<b>FRAME</b>	Inspyre Evo Disk Expert - 19.5" Premium Alu 6061-T6 - Hydroformed triple butted tubing - Swell 3D Forged dropouts
<b>FORK</b>	Inspyre Evo - 100% Chromoly - 1-1/8" Steerer tubing - Tapered legs
<b>HEADSET</b>	Semi Integrated - Sealed bearings - ZS44   ZS44 - <b>NEW</b>
<b>HANDLEBAR</b>	Inspyre Evo - Aluminium 5.5" x 26" - BS : 7° / US : 2°
<b>GRIPS</b>	Forward Lock On 130mm - Kraton
<b>STEM</b>	Forward - Top Load - Aluminium 6061-T6 - 40mm
<b>BOTTOM BRACKET</b>	External Bottom Bracket EB24 - Sealed Bearings
<b>SPROCKET</b>	Aluminium 4 Points 40T
<b>CRANKSET</b>	Forward Joyride AM 2 pcs - 4 Points - 160mm
<b>PEDALS</b>	Alu 9/16
<b>CHAIN</b>	KMC Z-1 - 1/2" x 3/32"
<b>CASSETTE</b>	16T Crmo
<b>ROTOR</b>	Forward Joyride AM 140mm

<b>FRONT HUB</b>	Forward Joyride V2 - Aluminium body 28H - 10mm - 100% sealed bearing - Female bolts
<b>REAR HUB</b>	Forward Joyride V2 Disc - Aluminium body 28H - 10mm - 100% sealed bearings - 150 points of engagements 6 pawls system - Female bolts
<b>SPOKES</b>	Stainless 14G
<b>NIPPLES</b>	Brass 14G
<b>FRONT RIM</b>	Forward Joyride - Aluminium 28H - Double walls
<b>REAR RIM</b>	Forward Joyride - Aluminium 28H - Double walls
<b>FRONT TIRE</b>	Tioga Powerblock 20 x 1-3/8 - <b>NEW</b>
<b>REAR TIRE</b>	Tioga Powerblock 20 x 1-1/8 - <b>NEW</b>
<b>BRAKE LEVER</b>	Shimano MT401 Hydraulic
<b>BRAKE CALIPER</b>	Shimano MT410 Hydraulic
<b>SEAT COMBO</b>	Combo Seatpost 22.2mm
<b>SEAT CLAMP</b>	Forward AM 31.8mm
<b>CHAIN TENSIONERS</b>	Swell Integrated





## SPECIFICATIONS

<b>FRAME</b>	Inspyre Evo Disk Expert XL - 20" Premium Alu 6061-T6 - Hydroformed triple butted tubing - Swell 3D Forged dropouts
<b>FORK</b>	Inspyre Evo - 100% Chromoly - 1-1/8" Steerer tubing - Tapered legs
<b>HEADSET</b>	Tapered Integrated - Sealed bearings - IS42   IS52 - <b>NEW</b>
<b>HANDLEBAR</b>	Inspyre Evo - 100% Crmo 6.5" x 26" - BS : 7° / US : 2°
<b>GRIPS</b>	Forward Lock On 130mm - Kraton
<b>STEM</b>	Forward - Top Load - Aluminium 6061-T6 - 50mm
<b>BOTTOM BRACKET</b>	External Bottom Bracket EB24 - Sealed Bearings
<b>SPROCKET</b>	Aluminium 4 Points 41T
<b>CRANKSET</b>	Forward Joyride AM 2 pcs - 4 Points - 170mm
<b>PEDALS</b>	Alu 9/16
<b>CHAIN</b>	KMC Z-1 - 1/2" x 3/32"
<b>CASSETTE</b>	16T Crmo
<b>ROTOR</b>	Forward Joyride AM 140mm

<b>FRONT HUB</b>	Forward Joyride V2 - Aluminium body 36H - 10mm - 100% sealed bearing - Female bolts
<b>REAR HUB</b>	Forward Joyride V2 Disc - Aluminium body 36H - 10mm - 100% sealed bearings - 150 points of engagements - 6 pawls system - Female bolts
<b>SPOKES</b>	Stainless 14G
<b>NIPPLES</b>	Brass 14G
<b>FRONT RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>REAR RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>FRONT TIRE</b>	Tioga Powerblock 20 x 1.40 - <b>NEW</b>
<b>REAR TIRE</b>	Tioga Powerblock 20 x 1.40 - <b>NEW</b>
<b>BRAKE LEVER</b>	Shimano MT401 Hydraulic
<b>BRAKE CALIPER</b>	Shimano MT410 Hydraulic
<b>SEAT COMBO</b>	Combo Seatpost 27.2mm
<b>SEAT CLAMP</b>	Forward AM 31.8mm
<b>CHAIN TENSIONERS</b>	Swell Integrated

**SPECIFICATIONS**

<b>FRAME</b>	Inspyre Evo Disk - 20.75" Premium Alu 6061-T6 - Hydroformed triple butted tubing - Swell 3D Forged dropouts
<b>FORK</b>	Inspyre Evo - 100% Chromoly - 1-1/8" Steerer tubing - Tapered legs
<b>HEADSET</b>	Tapered Integrated - Sealed bearings - IS42   IS52 - <b>NEW</b>
<b>HANDLEBAR</b>	Inspyre Evo - 100% Crmo 7.5" x 26.7" - BS : 7° / US : 1.5°
<b>GRIPS</b>	Forward Lock On 130mm - Kraton
<b>STEM</b>	Forward - Top Load - Aluminium 6061-T6 - 50mm
<b>BOTTOM BRACKET</b>	External Bottom Bracket EB24 - Sealed Bearings
<b>SPROCKET</b>	Aluminium 4 Points 42T
<b>CRANKSET</b>	Forward Joyride AM 2 pcs - 4 Points - 175mm
<b>PEDALS</b>	Alu 9/16
<b>CHAIN</b>	KMC Z-1 - 1/2" x 3/32"
<b>CASSETTE</b>	16T Crmo
<b>ROTOR</b>	Forward Joyride AM 140mm

<b>FRONT HUB</b>	Forward Joyride V2 - Aluminium body 36H - 10mm - 100% sealed bearing - Female bolts
<b>REAR HUB</b>	Forward Joyride V2 Disc - Aluminium body 36H - 10mm - 100% sealed bearings - 150 points of engagements - 6 pawls system - Female bolts
<b>SPOKES</b>	Stainless 14G
<b>NIPPLES</b>	Brass 14G
<b>FRONT RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>REAR RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>FRONT TIRE</b>	Tioga Powerblock 20 x 1.75 - <b>NEW</b>
<b>REAR TIRE</b>	Tioga Powerblock 20 x 1.60 - <b>NEW</b>
<b>BRAKE LEVER</b>	Shimano MT401 Hydraulic
<b>BRAKE CALIPER</b>	Shimano MT410 Hydraulic
<b>SEAT COMBO</b>	Combo Seatpost 27.2mm
<b>SEAT CLAMP</b>	Forward AM 31.8mm
<b>CHAIN TENSIONERS</b>	Swell Integrated



## SPECIFICATIONS

<b>FRAME</b>	Inspyre Evo Disk - 21.25" Premium Alu 6061-T6 - Hydroformed triple butted tubing - Swell 3D Forged dropouts
<b>FORK</b>	Inspyre Evo - 100% Chromoly - 1-1/8" Steerer tubing - Tapered legs
<b>HEADSET</b>	Tapered Integrated - Sealed bearings - IS42   IS52 - <b>NEW</b>
<b>HANDLEBAR</b>	Inspyre Evo - 100% Crmo 8" x 28.5" - BS : 7° / US : 1.5°
<b>GRIPS</b>	Forward Lock On 130mm - Kraton
<b>STEM</b>	Forward - Top Load - Aluminium 6061-T6 - 50mm
<b>BOTTOM BRACKET</b>	External Bottom Bracket EB24 - Sealed Bearings
<b>SPROCKET</b>	Aluminium 4 Points 43T
<b>CRANKSET</b>	Forward Joyride AM 2 pcs - 4 Points - 175mm
<b>PEDALS</b>	Alu 9/16
<b>CHAIN</b>	KMC Z-1 - 1/2" x 3/32"
<b>CASSETTE</b>	16T Crmo
<b>ROTOR</b>	Forward Joyride AM 140mm

<b>FRONT HUB</b>	Forward Joyride V2 - Aluminium body 36H - 10mm - 100% sealed bearing - Female bolts
<b>REAR HUB</b>	Forward Joyride V2 Disc - Aluminium body 36H - 10mm - 100% sealed bearings - 150 points of engagements - 6 pawls system - Female bolts
<b>SPOKES</b>	Stainless 14G
<b>NIPPLES</b>	Brass 14G
<b>FRONT RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>REAR RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>FRONT TIRE</b>	Tioga Powerblock 20 x 1.75 - <b>NEW</b>
<b>REAR TIRE</b>	Tioga Powerblock 20 x 1.75 - <b>NEW</b>
<b>BRAKE LEVER</b>	Shimano MT401 Hydraulic
<b>BRAKE CALIPER</b>	Shimano MT410 Hydraulic
<b>SEAT COMBO</b>	Combo Seatpost 27.2mm
<b>SEAT CLAMP</b>	Forward AM 31.8mm
<b>CHAIN TENSIONERS</b>	Swell Integrated



## SPECIFICATIONS

<b>FRAME</b>	Inspyre Evo Disk - 21.85" Premium Alu 6061-T6 - Hydroformed triple butted tubing - Swell 3D Forged dropouts
<b>FORK</b>	Inspyre Evo - 100% Chromoly - 1-1/8" Steerer tubing - Tapered legs
<b>HEADSET</b>	Tapered Integrated - Sealed bearings - IS42   IS52 - <b>NEW</b>
<b>HANDLEBAR</b>	Inspyre Evo - 100% Crmo 8" x 28.5" - BS : 7° / US : 1.5°
<b>GRIPS</b>	Forward Lock On 130mm - Kraton
<b>STEM</b>	Forward - Top Load - Aluminium 6061-T6 - 50mm
<b>BOTTOM BRACKET</b>	External Bottom Bracket EB24 - Sealed Bearings
<b>SPROCKET</b>	Aluminium 4 Points 44T
<b>CRANKSET</b>	Forward Joyride AM 2 pcs - 4 Points - 180mm
<b>PEDALS</b>	Alu 9/16
<b>CHAIN</b>	KMC Z-1 - 1/2" x 3/32"
<b>CASSETTE</b>	16T Crmo
<b>ROTOR</b>	Forward Joyride AM 140mm

<b>FRONT HUB</b>	Forward Joyride V2 - Aluminium body 36H - 10mm - 100% sealed bearing - Female bolts
<b>REAR HUB</b>	Forward Joyride V2 Disc - Aluminium body 36H - 10mm - 100% sealed bearings - 150 points of engagements - 6 pawls system - Female bolts
<b>SPOKES</b>	Stainless 14G
<b>NIPPLES</b>	Brass 14G
<b>FRONT RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>REAR RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>FRONT TIRE</b>	Tioga Powerblock 20 x 1.75 - <b>NEW</b>
<b>REAR TIRE</b>	Tioga Powerblock 20 x 1.75 - <b>NEW</b>
<b>BRAKE LEVER</b>	Shimano MT401 Hydraulic
<b>BRAKE CALIPER</b>	Shimano MT410 Hydraulic
<b>SEAT COMBO</b>	Combo Seatpost 27.2mm
<b>SEAT CLAMP</b>	Forward AM 31.8mm
<b>CHAIN TENSIONERS</b>	Swell Integrated



## SPECIFICATIONS

<b>FRAME</b>	Inspyre Evo Disk - 21.85" Premium Alu 6061-T6 - Hydroformed triple butted tubing - Swell 3D Forged dropouts
<b>FORK</b>	Inspyre Evo - 100% Chromoly - 1-1/8" Steerer tubing - Tapered legs
<b>HEADSET</b>	Tapered Integrated - Sealed bearings - IS42   IS52 - <b>NEW</b>
<b>HANDLEBAR</b>	Inspyre Evo - 100% Crmo 5.5" x 27.5" - BS : 7° / US : 1.5°
<b>GRIPS</b>	Forward Lock On 130mm - Kraton
<b>STEM</b>	Forward - Top Load - Aluminium 6061-T6 - 50mm
<b>BOTTOM BRACKET</b>	External Bottom Bracket EB24 - Sealed Bearings
<b>SPROCKET</b>	Aluminium 4 Points 41T
<b>CRANKSET</b>	Forward Joyride AM 2 pcs - 4 Points - 175mm
<b>PEDALS</b>	Alu 9/16
<b>CHAIN</b>	KMC Z-1 - 1/2" x 3/32"
<b>CASSETTE</b>	18T Crmo
<b>ROTOR</b>	Forward Joyride AM 140mm

<b>FRONT HUB</b>	Forward Joyride V2 - Aluminium body 36H - 10mm - 100% sealed bearing - Female bolts
<b>REAR HUB</b>	Forward Joyride V2 Disc - Aluminium body 36H - 10mm - 100% sealed bearings - 150 points of engagements - 6 pawls system - Female bolts
<b>SPOKES</b>	Stainless 14G
<b>NIPPLES</b>	Brass 14G
<b>FRONT RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>REAR RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>FRONT TIRE</b>	Tioga Powerblock 24 x 1.75 - <b>NEW</b>
<b>REAR TIRE</b>	Tioga Powerblock 24 x 1.60 - <b>NEW</b>
<b>BRAKE LEVER</b>	Shimano MT401 Hydraulic
<b>BRAKE CALIPER</b>	Shimano MT410 Hydraulic
<b>SEAT COMBO</b>	Combo Seatpost 27.2mm
<b>SEAT CLAMP</b>	Forward AM 31.8mm
<b>CHAIN TENSIONERS</b>	Swell Integrated

# EVO-C















## SPECIFICATIONS

<b>FRAME</b>	Inspyre Evo Disk Junior - 18.75" Premium Alu 6061-T6 - Hydroformed triple butted tubing - Swell 3D Forged dropouts	<b>FRONT HUB</b>	Forward Joyride V2 - Aluminium body 28H - 10mm - 100% sealed bearing - Female bolts
<b>FORK</b>	Pride Racing - APEX - Steerer tube 1-1/8" - 10mm - <b>NEW</b>	<b>REAR HUB</b>	Forward Joyride V2 Disc - Aluminium body 28H - 10mm - 100% sealed bearings - 150 points of engagements - 6 pawls system - Female bolts
<b>HEADSET</b>	Semi Integrated - Sealed bearings - ZS44   ZS44 - <b>NEW</b>	<b>SPOKES</b>	Stainless 14G
<b>HANDLEBAR</b>	Inspyre Evo - Aluminium 4.25" x 22" - BS : 7° / US : 2°	<b>NIPPLES</b>	Brass 14G
<b>GRIPS</b>	Forward Lock On 95mm - Kraton	<b>FRONT RIM</b>	Forward Joyride - Aluminium 28H - Double walls
<b>STEM</b>	Forward - Top Load - Aluminium 6061-T6 - 40mm	<b>REAR RIM</b>	Forward Joyride - Aluminium 28H - Double walls
<b>BOTTOM BRACKET</b>	External Bottom Bracket EB24 - Sealed Bearings	<b>FRONT TIRE</b>	Tioga Fastr X - 20 x 1-1/8" - <b>NEW</b>
<b>SPROCKET</b>	Aluminium 4 Points 38T	<b>REAR TIRE</b>	Tioga Powerblock - 20 x 1-1/8" - <b>NEW</b>
<b>CRANKSET</b>	Forward Joyride AM 2 pcs - 4 Points - 150mm	<b>BRAKE LEVER</b>	Shimano MT401 Hydraulic
<b>PEDALS</b>	Alu Mini 9/16	<b>BRAKE CALIPER</b>	Shimano MT410 Hydraulic
<b>CHAIN</b>	KMC Z-1 - 1/2" x 3/32"	<b>SEAT COMBO</b>	Combo Seatpost 22.2mm
<b>CASSETTE</b>	16T Crmo	<b>SEAT CLAMP</b>	Forward AM 25.4mm
<b>ROTOR</b>	Forward Joyride AM 140mm	<b>CHAIN TENSIONERS</b>	Swell Integrated

**SPECIFICATIONS**

<b>FRAME</b>	Inspire Evo Disk Expert - 19.5" Premium Alu 6061-T6 - Hydroformed triple butted tubing - Swell 3D Forged dropouts
<b>FORK</b>	Pride Racing - APEX - Steerer tube 1-1/8" - 10mm - <b>NEW</b>
<b>HEADSET</b>	Semi Integrated - Sealed bearings - ZS44   ZS44 - <b>NEW</b>
<b>HANDLEBAR</b>	Inspire Evo - Aluminium 5.5" x 26" - BS : 7° / US : 2°
<b>GRIPS</b>	Forward Lock On 130mm - Kraton
<b>STEM</b>	Forward - Top Load - Aluminium 6061-T6 - 40mm
<b>BOTTOM BRACKET</b>	External Bottom Bracket EB24 - Sealed Bearings
<b>SPROCKET</b>	Aluminium 4 Points 40T
<b>CRANKSET</b>	Forward Joyride AM 2 pcs - 4 Points - 160mm
<b>PEDALS</b>	Alu 9/16
<b>CHAIN</b>	KMC Z-1 - 1/2" x 3/32"
<b>CASSETTE</b>	16T Crmo
<b>ROTOR</b>	Forward Joyride AM 140mm

<b>FRONT HUB</b>	Forward Joyride V2 - Aluminium body 28H - 10mm - 100% sealed bearing - Female bolts
<b>REAR HUB</b>	Forward Joyride V2 Disc - Aluminium body 28H - 10mm - 100% sealed bearings - 150 points of engagements 6 pawls system - Female bolts
<b>SPOKES</b>	Stainless 14G
<b>NIPPLES</b>	Brass 14G
<b>FRONT RIM</b>	Forward Joyride - Aluminium 28H - Double walls
<b>REAR RIM</b>	Forward Joyride - Aluminium 28H - Double walls
<b>FRONT TIRE</b>	Tioga Fastr X - 20 x 1-3/8" - <b>NEW</b>
<b>REAR TIRE</b>	Tioga Powerblock - 20 x 1-1/8" - <b>NEW</b>
<b>BRAKE LEVER</b>	Shimano MT401 Hydraulic
<b>BRAKE CALIPER</b>	Shimano MT410 Hydraulic
<b>SEAT COMBO</b>	Combo Seatpost 22.2mm
<b>SEAT CLAMP</b>	Forward AM 25.4mm
<b>CHAIN TENSIONERS</b>	Swell Integrated



## SPECIFICATIONS

<b>FRAME</b>	Inspire Evo Disk Expert XL - 20" Premium Alu 6061-T6 - Hydroformed triple butted tubing - Swell 3D Forged dropouts
<b>FORK</b>	Pride Racing - Silk 3.0 - Tapered Steerer tube - 10mm <b>NEW</b>
<b>HEADSET</b>	Pride Racing Tapered Integrated - Sealed bearings IS42   IS52 - <b>NEW</b>
<b>HANDLEBAR</b>	Inspire Evo - 100% Crmo 6.5" x 26" - BS : 7° / US : 2°
<b>GRIPS</b>	Forward Lock On 130mm - Kraton
<b>STEM</b>	Forward - Top Load - Aluminium 6061-T6 - 50mm
<b>BOTTOM BRACKET</b>	External Bottom Bracket EB24 - Sealed Bearings
<b>SPROCKET</b>	Aluminium 4 Points 41T
<b>CRANKSET</b>	Forward Joyride AM 2 pcs - 4 Points - 170mm
<b>PEDALS</b>	Alu 9/16
<b>CHAIN</b>	KMC Z-1 - 1/2" x 3/32"
<b>CASSETTE</b>	16T Crmo
<b>ROTOR</b>	Foward Joyride AM 140mm

<b>FRONT HUB</b>	Forward Joyride V2 - Aluminium body 36H - 10mm - 100% sealed bearing - Female bolts
<b>REAR HUB</b>	Forward Joyride V2 Disc - Aluminium body 36H - 10mm - 100% sealed bearings - 150 points of engagements 6 pawls system - Female bolts
<b>SPOKES</b>	Stainless 14G
<b>NIPPLES</b>	Brass 14G
<b>FRONT RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>REAR RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>FRONT TIRE</b>	Tioga Fastr X - 20 x 1.40 - <b>NEW</b>
<b>REAR TIRE</b>	Tioga Powerblock 20 x 1.40 - <b>NEW</b>
<b>BRAKE LEVER</b>	Shimano MT401 Hydraulic
<b>BRAKE CALIPER</b>	Shimano MT410 Hydraulic
<b>SEAT COMBO</b>	Combo Seatpost 27.2mm
<b>SEAT CLAMP</b>	Forward AM 31.8mm
<b>CHAIN TENSIONERS</b>	Swell Integrated

**SPECIFICATIONS**

<b>FRAME</b>	Inspyre Evo Disk - 20.75" Premium Alu 6061-T6 - Hydroformed triple butted tubing - Swell 3D Forged dropouts	<b>FRONT HUB</b>	Forward Joyride V2 - Aluminium body 36H - 10mm - 100% sealed bearing - Female bolts
<b>FORK</b>	Pride Racing - Silk 3.0 - Tapered Steerer tube - 10mm <b>NEW</b>	<b>REAR HUB</b>	Forward Joyride V2 Disc - Aluminium body 36H - 10mm - 100% sealed bearings - 150 points of engagements 6 pawls system - Female bolts
<b>HEADSET</b>	Pride Racing Tapered Integrated - Sealed bearings IS42   IS52 - <b>NEW</b>	<b>SPOKES</b>	Stainless 14G
<b>HANDLEBAR</b>	Inspyre Evo - 100% Crmo 7.5" x 26.7" - BS : 7° / US : 1.5°	<b>NIPPLES</b>	Brass 14G
<b>GRIPS</b>	Forward Lock On 130mm - Kraton	<b>FRONT RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>STEM</b>	Forward - Top Load - Aluminium 6061-T6 - 50mm	<b>REAR RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>BOTTOM BRACKET</b>	External Bottom Bracket EB24 - Sealed Bearings	<b>FRONT TIRE</b>	Tioga Fastr X - 20 x 1.75 - <b>NEW</b>
<b>SPROCKET</b>	Aluminium 4 Points 42T	<b>REAR TIRE</b>	Tioga Powerblock 20 x 1.60 - <b>NEW</b>
<b>CRANKSET</b>	Forward Joyride AM 2 pcs - 4 Points - 175mm	<b>BRAKE LEVER</b>	Shimano MT401 Hydraulic
<b>PEDALS</b>	Alu 9/16	<b>BRAKE CALIPER</b>	Shimano MT410 Hydraulic
<b>CHAIN</b>	KMC Z-1 - 1/2" x 3/32"	<b>SEAT COMBO</b>	Combo Seatpost 27.2mm
<b>CASSETTE</b>	16T Crmo	<b>SEAT CLAMP</b>	Forward AM 31.8mm
<b>ROTOR</b>	Forward Joyride AM 140mm	<b>CHAIN TENSIONERS</b>	Swell Integrated



## SPECIFICATIONS

<b>FRAME</b>	Inspyre Evo Disk - 21.25" Premium Alu 6061-T6 - Hydroformed triple butted tubing - Swell 3D Forged dropouts	<b>FRONT HUB</b>	Forward Joyride V2 - Aluminium body 36H - 10mm - 100% sealed bearing - Female bolts
<b>FORK</b>	Pride Racing - Silk 3.0 - Tapered Steerer tube - 10mm <b>NEW</b>	<b>REAR HUB</b>	Forward Joyride V2 Disc - Aluminium body 36H - 10mm - 100% sealed bearings - 150 points of engagements 6 pawls system - Female bolts
<b>HEADSET</b>	Pride Racing Tapered Integrated - Sealed bearings IS42   IS52 - <b>NEW</b>	<b>SPOKES</b>	Stainless 14G
<b>HANDLEBAR</b>	Inspyre Evo - 100% Crmo 8" x 28.5" - BS : 7° / US : 1.5°	<b>NIPPLES</b>	Brass 14G
<b>GRIPS</b>	Forward Lock On 130mm - Kraton	<b>FRONT RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>STEM</b>	Forward - Top Load - Aluminium 6061-T6 - 50mm	<b>REAR RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>BOTTOM BRACKET</b>	External Bottom Bracket EB24 - Sealed Bearings	<b>FRONT TIRE</b>	Tioga Fastr X - 20 x 1.75 - <b>NEW</b>
<b>SPROCKET</b>	Aluminium 4 Points 43T	<b>REAR TIRE</b>	Tioga Powerblock 20 x 1.75 - <b>NEW</b>
<b>CRANKSET</b>	Forward Joyride AM 2 pcs - 4 Points - 175mm	<b>BRAKE LEVER</b>	Shimano MT401 Hydraulic
<b>PEDALS</b>	Alu 9/16	<b>BRAKE CALIPER</b>	Shimano MT410 Hydraulic
<b>CHAIN</b>	KMC Z-1 - 1/2" x 3/32"	<b>SEAT COMBO</b>	Combo Seatpost 27.2mm
<b>CASSETTE</b>	16T Crmo	<b>SEAT CLAMP</b>	Forward AM 31.8mm
<b>ROTOR</b>	Forward Joyride AM 140mm	<b>CHAIN TENSIONERS</b>	Swell Integrated

**SPECIFICATIONS**

<b>FRAME</b>	Inspyre Evo Disk - 21.85'' Premium Alu 6061-T6 - Hydroformed triple butted tubing - Swell 3D Forged dropouts
<b>FORK</b>	Pride Racing - Silk 3.0 - Tapered Steerer tube - 10mm <b>NEW</b>
<b>HEADSET</b>	Pride Racing Tapered Integrated - Sealed bearings IS42   IS52 - <b>NEW</b>
<b>HANDLEBAR</b>	Inspyre Evo - 100% Crmo 8'' x 28.5'' - BS : 7° / US : 1.5°
<b>GRIPS</b>	Forward Lock On 130mm - Kraton
<b>STEM</b>	Forward - Top Load - Aluminium 6061-T6 - 50mm
<b>BOTTOM BRACKET</b>	External Bottom Bracket EB24 - Sealed Bearings
<b>SPROCKET</b>	Aluminium 4 Points 44T
<b>CRANKSET</b>	Forward Joyride AM 2 pcs - 4 Points - 180mm
<b>PEDALS</b>	Alu 9/16
<b>CHAIN</b>	KMC Z-1 - 1/2'' x 3/32''
<b>CASSETTE</b>	16T Crmo
<b>ROTOR</b>	Foward Joyride AM 140mm

<b>FRONT HUB</b>	Forward Joyride V2 - Aluminium body 36H - 10mm - 100% sealed bearing - Female bolts
<b>REAR HUB</b>	Forward Joyride V2 Disc - Aluminium body 36H - 10mm - 100% sealed bearings - 150 points of engagements 6 pawls system - Female bolts
<b>SPOKES</b>	Stainless 14G
<b>NIPPLES</b>	Brass 14G
<b>FRONT RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>REAR RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>FRONT TIRE</b>	Tioga Fastr X - 20 x 1.75 - <b>NEW</b>
<b>REAR TIRE</b>	Tioga Powerblock 20 x 1.75 - <b>NEW</b>
<b>BRAKE LEVER</b>	Shimano MT401 Hydraulic
<b>BRAKE CALIPER</b>	Shimano MT410 Hydraulic
<b>SEAT COMBO</b>	Combo Seatpost 27.2mm
<b>SEAT CLAMP</b>	Forward AM 31.8mm
<b>CHAIN TENSIONERS</b>	Swell Integrated





## SPECIFICATIONS

<b>FRAME</b>	Inspyre Evo Disk - 21.85" Premium Alu 6061-T6 - Hydroformed triple butted tubing - Swell 3D Forged dropouts
<b>FORK</b>	Pride Racing - Silk 3.0 - Tapered Steerer tube - 10mm <b>NEW</b>
<b>HEADSET</b>	Pride Racing Tapered Integrated - Sealed bearings IS42   IS52 - <b>NEW</b>
<b>HANDLEBAR</b>	Inspyre Evo - 100% Crmo 5.5" x 27.5" - BS : 7° / US : 1.5°
<b>GRIPS</b>	Forward Lock On 130mm - Kraton
<b>STEM</b>	Forward - Top Load - Aluminium 6061-T6 - 50mm
<b>BOTTOM BRACKET</b>	External Bottom Bracket EB24 - Sealed Bearings
<b>SPROCKET</b>	Aluminium 4 Points 41T
<b>CRANKSET</b>	Forward Joyride AM 2 pcs - 4 Points - 175mm
<b>PEDALS</b>	Alu 9/16
<b>CHAIN</b>	KMC Z-1 - 1/2" x 3/32"
<b>CASSETTE</b>	18T Crmo
<b>ROTOR</b>	Forward Joyride AM 140mm

<b>FRONT HUB</b>	Forward Joyride V2 - Aluminium body 36H - 10mm - 100% sealed bearing - Female bolts
<b>REAR HUB</b>	Forward Joyride V2 Disc - Aluminium body 36H - 10mm - 100% sealed bearings - 150 points of engagements 6 pawls system - Female bolts
<b>SPOKES</b>	Stainless 14G
<b>NIPPLES</b>	Brass 14G
<b>FRONT RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>REAR RIM</b>	Forward Joyride Aero - Aluminium 36H - Double walls
<b>FRONT TIRE</b>	Tioga Fastr X - 24 x 1.75 - <b>NEW</b>
<b>REAR TIRE</b>	Tioga Powerblock 24 x 1.60 - <b>NEW</b>
<b>BRAKE LEVER</b>	Shimano MT401 Hydraulic
<b>BRAKE CALIPER</b>	Shimano MT410 Hydraulic
<b>SEAT COMBO</b>	Combo Seatpost 27.2mm
<b>SEAT CLAMP</b>	Forward AM 31.8mm
<b>CHAIN TENSIONERS</b>	Swell Integrated

***I*** ***INSPIRE***